

Polar_Duke

Ship	Cruise	Core ID	Type	Latitude	Longitude	Water Depth	Top	Bottom	Comments
Polar Duke	PD 90-7	42	TC	64.275S	60.995W	452			bottom
Polar Duke	PD 90-7	43	TC	64.270S	61.059W	512			cutter nose
Polar Duke	PD 90-7	45	TC	64.258S	61.136W	460			cutter nose
Polar Duke	PD 90-7	47	TC	64.283S	61.895W	1150			cutter nose
Polar Duke	PD 90-7	48	TC	64.275S	61.874W	1135			cutter nose
Polar Duke	PD 90-7	49	TC	64.098S	61.831W	1240			cutter head
Polar Duke	PD 90-7	50	TC	64.076S	61.810W	1220			cutter nose
Polar Duke	PD 90-7	51	GC/TC	63.999S	61.716W	1203			cutter nose
Polar Duke	PD 90-7	52	TC	63.963S	61.691W	1155			cutter nose
Polar Duke	PD 90-7	52	TC	63.963S	61.691W	1155			bottom of TC
Polar Duke	PD 90-7	53	PC	63.872S	61.591W	1066			cutter. Trigger/gravity nose
Polar Duke	PD 90-7	55	TC	63.843S	61.558W	1030			cutter nose
Polar Duke	PD 90-7	56	TC	64.928S	64.272W	1415			cutter nose
Polar Duke	PD 90-7	71	TC	67.208S	66.887W	660			cutter head and catcher
Polar Duke	PD 90-7	71	TC	67.208S	66.887W	660			top ~7 cm
Polar Duke	PD 90-7	73	TC	67.167S	66.833W	803			cutter nose and catcher
Polar Duke	PD 90-7	76	TC	64.268S	61.059W	515			bottom
Polar Duke	PD 90-7	76	TC	64.268S	61.059W	515			bag #2 of bottom section
Polar Duke	PD 90-7	76	TC	64.268S	61.059W	515			top 3, see core deck log
Polar Duke	PD 90-7	76	TC	64.268S	61.059W	515			cutter nose
Polar Duke	PD 89-5	1	TC	62.274S	57.605W	1995			cutter head
Polar Duke	PD 89-5	3	PC	62.244S	57.482W	1989			middle pice betwwen barrels
Polar Duke	PD 89-5	4	PC	62.319S	57.660W	1997			piece of bootom of upper copre
Polar Duke	PD 89-5	4	PC	62.319S	57.660W	1997			bottom most part of PC 4
Polar Duke	PD 89-5	5	TC	62.298S	57.817W	1980			core catcher
Polar Duke	PD 89-5	6	TC	62.366S	58.036W	1977			cutter head
Polar Duke	PD 89-5	6	PC	62.366S	58.036W	1977			sediment form bag is in jars
Polar Duke	PD 89-5	6	PC	62.366S	58.036W	1977			part of upper section
Polar Duke	PD 89-5	6	PC	62.366S	58.036W	1977			from upper barrel
Polar Duke	PD 89-5	7	PC	62.767S	59.557W	1489			rockymud from PC 7
Polar Duke	PD 89-5	8	TC	62.755S	59.520W	1488			cutter head and core catcher
Polar Duke	PD 89-5	8	PC	62.755S	59.520W	1488			core catcher and cutter head
Polar Duke	PD 89-5	9	TC	62.598S	59.365W	1380			core catcher and cutter head
Polar Duke	PD 89-5	10	PC	62.598S	59.365W	1380			pieces from bottom
Polar Duke	PD 89-5	10	TC	62.662S	59.380W	1399			cutter head and core catcher
Polar Duke	PD 90-7	1	Grab, bag W						
Polar Duke	PD 90-7	2	Grab, bag W	64.952S	63.531W	460			
Polar Duke	PD 90-7	2	grab	64.952S	63.531W	460			
Polar Duke	PD 90-7	2	grab	64.952S	63.531W	460			washed with hose
Polar Duke	PD 90-7	3	Grab, bag W	65.002S	63.348W	500			
Polar Duke	PD 90-7	3	grab	65.002S	63.348W	500			
Polar Duke	PD 90-7	4	Grab, bag W	64.068S	63.175W	580			
Polar Duke	PD 90-7	4	grab	64.068S	63.175W	580			
Polar Duke	PD 90-7	5	Grab, bag W	65.089S	63.151W	530			
Polar Duke	PD 90-7	5	grab	65.089S	63.151W	530			

Polar_Duke

Ship	Cruise	Core ID	Type	Latitude	Longitude	Water Depth	Top	Bottom	Comments
Polar Duke	PD 90-7	6	Grab, bag W	65.120S	63.190W	171			
Polar Duke	PD 90-7	6	grab	65.120S	63.190W	171			
Polar Duke	PD 90-7	7	grab	65.140S	63.205W	408			
Polar Duke	PD 90-7	8	Grab, bag W	65.155S	63.220W	493			
Polar Duke	PD 90-7	8	grab	65.155S	63.220W	493			
Polar Duke	PD 90-7	9	Grab, bag W	65.166S	63.228W	490			
Polar Duke	PD 90-7	10	Grab, bag W	65.187S	63.242W	470			
Polar Duke	PD 90-7	11	Grab, bag W	65.006S	63.346W	445			
Polar Duke	PD 90-7	11	grab	65.006S	63.346W	445			
Polar Duke	PD 90-7	11	grab	65.006S	63.346W	445			
Polar Duke	PD 90-7	11	grab	65.006S	63.346W	445			1 rock
Polar Duke	PD 90-7	12	Grab, bag W	64.978S	63.418W	440			
Polar Duke	PD 90-7	12	grab	64.978S	63.418W	440			Smith Mac Grab
Polar Duke	PD 90-7	13	Grab, bag W	64.866S	62.502W	420			
Polar Duke	PD 90-7	13	grab	64.866S	62.502W	420			
Polar Duke	PD 90-7	14	Grab, bag W	64.872S	62.473W	480			
Polar Duke	PD 90-7	14	grab	64.872S	62.473W	480			
Polar Duke	PD 90-7	14	grab	64.872S	62.473W	480			1 large flat rock
Polar Duke	PD 90-7	15	grab	64.873S	62.442W	310			1 rock
Polar Duke	PD 90-7	15	grab	64.873S	62.442W	310			
Polar Duke	PD 90-7	15	Grab, bag W	64.873S	62.442W	310			
Polar Duke	PD 90-7	16	grab	64.870S	62.431W	521			
Polar Duke	PD 90-7	16	Grab, bag W	64.870S	62.431W	521			
Polar Duke	PD 90-7	17	grab	64.915S	62.589W	270			
Polar Duke	PD 90-7	21	grab	64.915S	62.589W	270			
Polar Duke	PD 90-7	21	grab	64.915S	62.589W	270			
Polar Duke	PD 90-7	21	Grab, bag X	64.915S	62.589W	270			
Polar Duke	PD 90-7	22	grab	64.899S	62.597W	270			
Polar Duke	PD 90-7	22	grab	64.899S	62.597W	270			smith Mac Grab
Polar Duke	PD 90-7	22	Grab, bag X	64.899S	62.597W	270			
Polar Duke	PD 90-7	23	grab	64.888S	62.608W	165			
Polar Duke	PD 90-7	23	Grab, bag X	64.888S	62.608W	165			
Polar Duke	PD 90-7	24	grab	64.888S	62.608W	165			geologic station #24
Polar Duke	PD 90-7	24	grab	64.888S	62.608W	165			
Polar Duke	PD 90-7	24	grab	64.888S	62.608W	165			geologic station #24, 1 rock
Polar Duke	PD 90-7	24	Grab, bag X	64.888S	62.608W	165			bi-valve
Polar Duke	PD 90-7	24	Grab, bag X	64.888S	62.608W	165			
Polar Duke	PD 90-7	25	grab	64.860S	62.615W	230			
Polar Duke	PD 90-7	26	grab	64.851S	62.615W	210			
Polar Duke	PD 90-7	26	Grab, bag X	64.851S	62.615W	210			
Polar Duke	PD 90-7	27	Grab, bag X	64.843S	62.625W	325			
Polar Duke	PD 90-7	28	KC	64.837S	62.635W	400			
Polar Duke	PD 90-7	28	Grab, bag X	64.837S	62.635W	400			
Polar Duke	PD 90-7	31	GC	64.824S	62.646W	440			cutter nose
Polar Duke	PD 90-7	33	grab	64.788S	62.740W	409			

Polar_Duke

Ship	Cruise	Core ID	Type	Latitude	Longitude	Water Depth	Top	Bottom	Comments
Polar Duke	PD 90-7	34	grab	64.778S	62.721W	446			
Polar Duke	PD 90-7	35	grab	64.795S	62.765W	320			
Polar Duke	PD 90-7	36	GC	64.770S	62.766W	462			nose and catcher
Polar Duke	PD 90-7	37	GC	64.753S	62.790W	374			catcher
Polar Duke	PD 90-7	38	Grab	64.263S	60.999W	278			
Polar Duke	PD 90-7	38	Grab	64.263S	60.999W	278			
Polar Duke	PD 90-7	39	KC	64.278S	60.995W	452			
Polar Duke	PD 90-7	41	GC	64.272S	60.975W	170			core cutter and catcher
Polar Duke	PD 90-7	42	PC	64.275S	60.995W	452			core and cutter nose
Polar Duke	PD 90-7	45	PC	64.258S	61.136W	460			cutter nose
Polar Duke	PD 90-7	47	PC	64.283S	61.895W	1150			nose and catcher
Polar Duke	PD 90-7	47	PC	64.283S	61.895W	1150			bottom of section 2
Polar Duke	PD 90-7	48	TC	64.275S	61.874W	1135			cutter nose
Polar Duke	PD 90-7	49	PC	64.098S	61.831W	1240			cutter head
Polar Duke	PD 90-7	50	PC	64.076S	61.810W	1220			sediment catcher, cutter nose
Polar Duke	PD 90-7	51	PC	63.999S	61.716W	1203			top of section 2
Polar Duke	PD 90-7	51	PC	63.999S	61.716W	1203			cutter nose
Polar Duke	PD 90-7	52	PC	63.963S	61.691W	1155			cutter nose
Polar Duke	PD 90-7	53	PC	63.872S	61.591W	1066			cutter nose
Polar Duke	PD 90-7	54	GC	63.836S	61.559W	1000			cutter nose
Polar Duke	PD 90-7	55	PC	63.843S	61.558W	1030			cutter nose
Polar Duke	PD 90-7	56	PC	64.928S	64.272W	1415			cutter nose
Polar Duke	PD 90-7	57	GC	66.758S	66.970W	780			
Polar Duke	PD 90-7	58	Grab	66.950S	66.826W	722			Smith Mac Grab
Polar Duke	PD 90-7	59	Grab	67.080S	66.850W	420			Smith Mac Grab
Polar Duke	PD 90-7	60	Grab	67.137S	66.793W	650			Smith Mac Grab
Polar Duke	PD 90-7	60	GC	67.137S	66.793W	650			
Polar Duke	PD 90-7	61	Grab	67.210S	66.889W	677			Smith Mac Grab
Polar Duke	PD 90-7	62	Grab	67.238S	66.805W	210			Smith Mac Grab
Polar Duke	PD 90-7	62	GC	67.238S	66.805W	210			
Polar Duke	PD 90-7	63	Grab	67.217S	66.776W	195			Smith Mac Grab
Polar Duke	PD 90-7	64	GC	67.217S	66.777W	200			cutter nose
Polar Duke	PD 90-7	65	Grab	67.200S	66.753W	220			
Polar Duke	PD 90-7	66	Grab	67.185S	66.654W	620			
Polar Duke	PD 90-7	67	Grab	67.331S	66.470W	590			Smith Mac Grab
Polar Duke	PD 90-7	69	Grab	67.288S	66.502W	540			
Polar Duke	PD 90-7	70	Grab	67.250S	66.538W	501			Smith Mac Grab
Polar Duke	PD 90-7	71	PC	67.208S	66.887W	660			cutter head and catcher
Polar Duke	PD 90-7	76	PC	64.268S	61.059W	515			cutter nose
Polar Duke	PD 90-7	1-16	Grab, bag W						miscellaneous grab samples 1-16
Polar Duke	PD 90-7	18	KC						
Polar Duke	PD 90-7	19	KC						
Polar Duke	PD 90-7	20	KC						
Polar Duke	PD 90-7	21-28	Grab, bag X						miscellaneous grab samples 21-28

Polar_Duke

Ship	Cruise	Core ID	Type	Latitude	Longitude	Water Depth	Top	Bottom	Comments
Polar Duke	PD 90-7	29	KC	64.837S	62.631W	395			0-90cm, samples taken for J.O.C. acid solution % texture
Polar Duke	PD 90-7	29	KC	64.837S	62.631W	395			100-190cm, samples taken for J.O.C.m scid solution texture
Polar Duke	PD 90-7	29	KC	64.837S	62.631W	395			200-240cm
Polar Duke	PD 90-7	33	Grab, bag Y	64.788S	62.740W	409			
Polar Duke	PD 90-7	33-59	Grab, bag Y						miscellaneous grab samples 33-59
Polar Duke	PD 90-7	34	Grab, bag Y	64.778S	62.721W	446			
Polar Duke	PD 90-7	35	Grab, bag Y	64.795S	62.765W	320			
Polar Duke	PD 90-7	38	Grab, bag Y	64.263S	60.999W	278			
Polar Duke	PD 90-7	39	KC	64.278S	60.995W	452			Ham, 2 of 3
Polar Duke	PD 90-7	39	KC	64.278S	60.995W	452			Ham, 3 of 3
Polar Duke	PD 90-7	39	KC	64.278S	60.995W	452			70-72 cm
Polar Duke	PD 90-7	39	KC	64.278S	60.995W	452			Ham, 1 of 3, complete texture taken
Polar Duke	PD 90-7	44	KC	64.269S	61.060W	504			Ham, bag # 3 of 3
Polar Duke	PD 90-7	44	KC	64.269S	61.060W	504			Ham, bag # 2 of 3
Polar Duke	PD 90-7	44	KC	64.269S	61.060W	504			Ham,2.5-2.7 m
Polar Duke	PD 90-7	44	KC	64.269S	61.060W	504			Ham, bag # 1 of 3
Polar Duke	PD 90-7	46	KC	64.221S	61.240W	575			Ham, bag # 1 of 3
Polar Duke	PD 90-7	46	KC	64.221S	61.240W	575			Ham, bag # 3 of 3
Polar Duke	PD 90-7	46	KC	64.221S	61.240W	575			Ham, bag # 2 of 3
Polar Duke	PD 90-7	47-2	PC	64.283S	61.895W	1150			bottom
Polar Duke	PD 90-7	47-3	PC	64.283S	61.895W	1150			bottom
Polar Duke	PD 90-7	48-1	TC	64.275S	61.874W	1135			bottom
Polar Duke	PD 90-7	48-2	TC	64.275S	61.874W	1135			bottom
Polar Duke	PD 90-7	49-2	PC	64.098S	61.831W	1240			top
Polar Duke	PD 90-7	49-2	PC	64.098S	61.831W	1240			bottom
Polar Duke	PD 90-7	49-3	PC	64.098S	61.831W	1240			top
Polar Duke	PD 90-7	49-3	PC	64.098S	61.831W	1240			bottom
Polar Duke	PD 90-7	50-1	PC	64.076S	61.810W	1220			bottom
Polar Duke	PD 90-7	50-1(2)		64.076S	61.810W	1220			
Polar Duke	PD 90-7	50-2	PC	64.076S	61.810W	1220			top
Polar Duke	PD 90-7	50-2	PC	64.076S	61.810W	1220			bottom
Polar Duke	PD 90-7	50-3	PC	64.076S	61.810W	1220			top
Polar Duke	PD 90-7	50-3	PC	64.076S	61.810W	1220			bottom
Polar Duke	PD 90-7	51-2		63.999S	61.716W	1203			bottom
Polar Duke	PD 90-7	51-2		63.999S	61.716W	1203			bottom
Polar Duke	PD 90-7	51-2		63.999S	61.716W	1203			top
Polar Duke	PD 90-7	51-3		63.999S	61.716W	1203			bottom
Polar Duke	PD 90-7	51-3		63.999S	61.716W	1203			top
Polar Duke	PD 90-7	52-2		63.963S	61.691W	1155			
Polar Duke	PD 90-7	57	Grab, bag Y	66.758S	66.970W	780			
Polar Duke	PD 90-7	58	Grab, bag Y	66.950S	66.826W	722			
Polar Duke	PD 90-7	59	Grab, bag Y	67.080S	66.850W	420			
Polar Duke	PD 90-7	60	Grab, bag Z	67.137S	66.793W	650			

Polar_Duke

Ship	Cruise	Core ID	Type	Latitude	Longitude	Water Depth	Top	Bottom	Comments
Polar Duke	PD 90-7	60-70	Grab, bag Z						Miscellaneous grab samples 60-70
Polar Duke	PD 90-7	61	Grab, bag Z	67.210S	66.889W	677			
Polar Duke	PD 90-7	62	Grab, bag Z	67.238S	66.805W	210			
Polar Duke	PD 90-7	63	Grab, bag Z	67.217S	66.776W	195			
Polar Duke	PD 90-7	65	Grab, bag Z	67.200S	66.753W	220			
Polar Duke	PD 90-7	66	Grab, bag Z	67.185S	66.654W	620			
Polar Duke	PD 90-7	66	Grab, bag Z	67.185S	66.654W	620			
Polar Duke	PD 90-7	67	Grab, bag Z	67.331S	66.470W	590			
Polar Duke	PD 90-7	69	Grab, bag Z	67.288S	66.502W	540			
Polar Duke	PD 90-7	70	Grab, bag Z	67.250S	66.538W	501			
Polar Duke	PD 90-7	71-1	PC	67.208S	66.887W	660			bottom
Polar Duke	PD 90-7	72	KC	67.210S	66.888W	655			Ham, bag 1 of 2, complete textural samples taken
Polar Duke	PD 90-7	72	KC	67.210S	66.888W	655			Ham, bag 2 of 2, textural and TOC samples taken
Polar Duke	PD 90-7	75	KC	67.140S	66.797W	644			Hamilton, texture sample taken, bag 3 of 3
Polar Duke	PD 90-7	75	KC	67.140S	66.797W	644			Hamilton, texture sample taken, bag2 of 3
Polar Duke	PD 90-7	75	KC	67.140S	66.797W	644			Hamilton, texture and TOC sample taken,
Polar Duke	PD 91	1	GS	63-11.51S	58-33.40W	112			112 m
Polar Duke	PD 91	1	GS	63-11.51S	58-33.40W	112			112m
Polar Duke	PD 91	2	GS	63-53.87S	57-45.30W	157			
Polar Duke	PD 91	2	GS	63-53.87S	57-45.30W	157			
Polar Duke	PD 91	3	PC	63-10.31S	57-42.59W	385			fine sediment form core top? Found by nerf ball
Polar Duke	PD 91	3	PC	63-10.31S	57-42.59W	385			pebbly mud from outside core barrel
Polar Duke	PD 91	3	PC	63-10.31S	57-42.59W	385			core top of sample 1
Polar Duke	PD 91	3	PC	63-10.31S	57-42.59W	385			trigger core catcher
Polar Duke	PD 91	4	PC	63-04.41S	57-48.89W	620			TC retainer
Polar Duke	PD 91	4	GC	63-53.36S	57-43.52W	360			core nose
Polar Duke	PD 91	5	PC	64-39.79S	58-21.76W	547			cutter nose
Polar Duke	PD 91	5	PC	64-39.79S	58-21.76W	547			trigger head
Polar Duke	PD 91	6	PC	63-55.56S	57-41.29W	350			tip of section
Polar Duke	PD 91	6	PC	63-55.56S	57-41.29W	350			cutter nose
Polar Duke	PD 91	7	PC	63-48.80S	57-46.34W	237			trigger nose
Polar Duke	PD 91	7	PC	63-48.80S	57-46.34W	237			core nose
Polar Duke	PD 91	8	PC	63-58.75S	57-46.49W	360			core nose
Polar Duke	PD 91	8	PC	63-58.75S	57-46.49W	360			trigger nose
Polar Duke	PD 91	8	PC	63-58.75S	57-46.49W	360			1 spider
Polar Duke	PD 91	9	PC	63-55.70S	57-46.20W	87			core nose
Polar Duke	PD 91	10	PC	63-53.75S	57-45.34W	127			core samp[le
Polar Duke	PD 92-2	1	GC	67.180S	66.797W	630			Core catcher
Polar Duke	PD 92-2	1	PC	64.772S	62.764W	447			very top,(piston got stuck in sleeve)
Polar Duke	PD 92-2	1	PC	64.772S	62.764W	447			near surface
Polar Duke	PD 92-2	11	PC	67.197S	66.749W	325			catcher
Polar Duke	PD 92-2	12	PC	67.166S	66.834W	750			Mud from nose of PC
Polar Duke	PD 92-2	13	TC	67.071S	66.800W	785			Mud from nose of TC
Polar Duke	PD 92-2	14	PC	67.166S	66.831W	770			Trigger core ccatcher

Polar_Duke

Ship	Cruise	Core ID	Type	Latitude	Longitude	Water Depth	Top	Bottom	Comments
Polar Duke	PD 92-2	14	PC	67.166S	66.831W	770			core catcher
Polar Duke	PD 92-2	15	PC	64.011S	61.734W	1220			core catcher
Polar Duke	PD 92-2	16	TC	64.094S	61.830W	1250			catcher
Polar Duke	PD 92-2	16	TC	64.094S	61.830W	1250			Top of TC
Polar Duke	PD 92-2	16	PC	64.094S	61.830W	1250			core catcher
Polar Duke	PD 92-2	17	TC	64.286S	61.874W	1165			Sample just above core catcher
Polar Duke	PD 92-2	17	PC	64.286S	61.874W	1165			Trigger core catcher
Polar Duke	PD 92-2	17	PC	64.286S	61.874W	1165			core catcher
Polar Duke	PD 92-2	18	PC	62.199S	58.371W	482			core catcher
Polar Duke	PD 92-2	19	PC	62.194S	58.380W	535			trigger core catcher
Polar Duke	PD 92-2	19	TC	62.194S	58.380W	535			
Polar Duke	PD 92-2	19	PC	62.194S	58.380W	535			core catcher
Polar Duke	PD 92-2	2	GC	67.178S	66.790W	640			
Polar Duke	PD 92-2	2	Grab	66.964S	66.815W	1020			Archive
Polar Duke	PD 92-2	2	KC	64.774S	62.804W	450			
Polar Duke	PD 92-2	2	PC/TC	64.774S	62.804W	450			
Polar Duke	PD 92-2	2 and 1	KC						C total, DRY
Polar Duke	PD 92-2	26	TC	63.894S	61.603W	1130			
Polar Duke	PD 92-2	26	PC	63.894S	61.603W	1130			catcher
Polar Duke	PD 92-2	27	PC	63.792S	61.487W	810			core catcher
Polar Duke	PD 92-2	27	PC	63.792S	61.487W	810			Trigger core catcher
Polar Duke	PD 92-2	28	PC and TC	64.942S	64.325W	1430			
Polar Duke	PD 92-2	29	PC and TC	64.918S	64.241W	1400			
Polar Duke	PD 92-2	3	Grab						Archive
Polar Duke	PD 92-2	3	KC	64.774S	62.840W	455			Grain size
Polar Duke	PD 92-2	3	KC	64.774S	62.840W	455			C total, DRY
Polar Duke	PD 92-2	3	TC	64.774S	62.840W	455			catcher head
Polar Duke	PD 92-2	30	PC and TC	64-51.720S	64-12.506W	1040			
Polar Duke	PD 92-2	4	GC	67.206S	66.888W	670			Sample from core catcher of Gravity core
Polar Duke	PD 92-2	4	Grab	62.135S	58.437W	440			Archive
Polar Duke	PD 92-2	4	KC	64.773S	62.837W	460			grain size
Polar Duke	PD 92-2	4	TC	64.773S	62.837W	460			catcher
Polar Duke	PD 92-2	4	PC	64.773S	62.837W	460			section 2, end exploded-gas expansion
Polar Duke	PD 92-2	4 and 5	KC						C, total, DRY
Polar Duke	PD 92-2	5	Grab	64.262S	61.048W	540			Archive
Polar Duke	PD 92-2	5	KC	64.925S	64.277W	1410			catcher
Polar Duke	PD 92-2	5	KC	64.925S	64.277W	1410			Grain size
Polar Duke	PD 92-2	5	TC	64.925S	64.277W	1410			
Polar Duke	PD 92-2	5	PC	64.925S	64.277W	1410			section 1
Polar Duke	PD 92-2	5	PC	64.925S	64.277W	1410			top of section 2
Polar Duke	PD 92-2	5	PC	64.925S	64.277W	1410			cutter
Polar Duke	PD 92-2	5	PC	64.925S	64.277W	1410			trigger core catcher
Polar Duke	PD 92-2	5 and 6	KC						
Polar Duke	PD 92-2	6	GC	64.013S	61.740W	1210			
Polar Duke	PD 92-2	6	KC	64.942S	64.346W	1440			

Polar_Duke

Ship	Cruise	Core ID	Type	Latitude	Longitude	Water Depth	Top	Bottom	Comments
Polar Duke	PD 92-2	6	KC	64.942S	64.346W	1440			total
Polar Duke	PD 92-2	6	PC	64.942S	64.346W	1440			trigger core catcher
Polar Duke	PD 92-2	7	KC	64.963S	64.395W	1300			grain size
Polar Duke	PD 92-2	7	PC	64.963S	64.395W	1300			
Polar Duke	PD 92-2	7	PC	64.963S	64.395W	1300			piston trigger core catcher
Polar Duke	PD 92-2	7	TC	64.963S	64.395W	1300			
Polar Duke	PD 92-2	7,8,9	KC						C, total
Polar Duke	PD 92-2	8	KC	67.237S	66.805W	215			C, total
Polar Duke	PD 92-2	8	KC	67.237S	66.805W	215			grain size
Polar Duke	PD 92-2	8	TC	67.237S	66.805W	215			mud from nose of trigger core
Polar Duke	PD 92-2	9	KC	67.237S	66.804W	215			grain size
Polar Duke	PD 92-2	9	KC	67.237S	66.804W	215			C, total
Polar Duke	PD 92-2	9	TC	67.237S	66.804W	215			catcher